$\label{eq:appendix} APPENDIX$  Distribution of the studied sample regarding Knee injury and Osteoarthritis Outcome Score (KOOS) pre/post application of the study (n = 30)

	Pre	Pre		Post	
	N.	%	N.	%	– p. value
Pain					
P1 How often is your knee painful?					
Monthly	0	0.0	11	36.6	
Weekly	1	3.3	14	46.7	. 001**
Daily	13	43.4	5	16.7	<b>-</b> < .001**
Always	16	53.3	0	0.0	_
P2 Degree of pain experienced the last week? Two	risting/pivoting on the knee	?			
None	0	0.0	2	6.7	
Mild	1	3.3	22	73.3	_
Moderate	7	23.3	3	10.0	<.001**
Sever	17	56.7	3	10.0	<u>—</u>
Extreme	5	16.7	0	0.0	<u>—</u>
P3 Straightening knee fully?					
None	7	23.3	13	43.3	
Mild	6	20.0	12	40.0	<u> </u>
Moderate	8	26.7	2	6.7	.018**
Sever	5	16.7	3	10.0	<del>_</del>
Extreme	4	13.3	0	0.0	<u> </u>
P4 Bending knee fully?					
Mild	0	0.0	19	63.3	
Moderate	2	6.7	7	23.4	. 001**
Sever	19	63.3	3	10.0	<b>-</b> < .001**
Extreme	9	30.0	1	3.3	_
P5 Walking on flat surface?					
None	3	10.0	9	30.0	
Mild	2	6.7	17	56.7	<u> </u>
Moderate	18	60.0	1	3.3	<.001**
Sever	4	13.3	2	6.7	<u>—</u>
Extreme	3	10.0	1	3.3	<u>—</u>
P6 Going up or down stairs?					
Mild	0	0.0	16	53.4	
Moderate	6	20.0	9	30.0	. 001***
Sever	8	26.7	1	3.3	<b>-</b> < .001**
Extreme	16	53.3	4	13.3	<u>—</u>
P7 At night while in bed?					
None	1	3.3	9	30.0	
Mild	3	10.0	14	46.7	_
Moderate	10	33.3	3	10.0	<.001**
Sever	11	36.7	1	3.3	_
Extreme	5	16.7	3	10.0	_

 $\label{eq:appendix} APPENDIX$  Distribution of the studied sample regarding Knee injury and Osteoarthritis Outcome Score (KOOS) pre/post application of the study (n = 30)

	Pre		Post		n volue
	N.	%	N.	%	– p. value
P8 Sitting or lying?					
None	0	0.0	7	23.3	
Mild	3	10.0	19	63.4	<del>_</del>
Moderate	15	50.0	1	3.3	<.001**
Sever	9	30.0	0	0.0	_
Extreme	3	10.0	3	10.0	_
P9 Standing upright?					
None	1	3.3	7	23.3	
Mild	1	3.3	18	60.0	_
Moderate	14	46.7	2	6.7	<.001**
Sever	11	36.7	1	3.3	_
Extreme	3	10.0	2	6.7	<del></del>

	Symptoms				
Sy1 How severe is your knee stiffness after first wakenin	g in the morr	ning?			
None	1	3.3	7	23.4	
Mild	0	0.0	18	60.0	<del>_</del>
Moderate	16	53.4	1	3.3	< .001**
Sever	9	30.0	3	10.0	<del>_</del>
Extreme	4	13.3	1	3.3	<del></del>
Sy2 How severe is your knee stiffness after sitting, lying,	or resting lat	ter in the day	y?		
None	1	3.3	8	26.7	
Mild	1	3.3	18	60.0	<del>_</del>
Moderate	17	56.7	1	3.3	<.001**
Sever	8	26.7	2	6.7	<del>_</del>
Extreme	3	10.0	1	3.3	<del>_</del>
Sy3 Do you have swelling in your knee?					
Never	4	13.3	6	20.0	
Rarely	2	6.7	19	63.3	<del>_</del>
Sometimes	10	33.3	1	3.3	<.001**
Often	8	26.7	2	6.7	<del></del>
Always	6	20.0	2	6.7	<del>_</del>
Sy4 Do you feel grinding, hear clicking or any other type	of noise whe	n your knee	moves?		
Never	1	3.3	3	10.0	
Rarely	1	3.3	20	66.7	<del></del>
Sometimes	9	30.0	3	10.0	< .001**
Often	14	46.7	1	3.3	<del></del>
Always	5	16.7	3	10.0	<del></del>
Sy5 Does your knee catch or hang up when moving?					
Never	0	0.0	4	13.3	<.001**

Rarely	0	0.0	20	66.7	
Sometimes	16	53.3	3	10.0	
Often	11	36.7	1	3.3	<del></del>
Always	3	10.0	2	6.7	<del></del>
Sy6 Can you straighten your knee fully?					
Never	4	13.3	0	0.0	
Rarely	16	53.3	0	0.0	<del></del>
Sometimes	5	16.7	4	13.3	<.001**
Often	2	6.7	19	63.4	<del></del>
Always	3	10.0	7	23.3	<del></del>
Sy7 Can you bend your knee fully?					
Never	14	46.7	2	6.7	
Rarely	13	43.3	1	3.3	<del></del>
Sometimes	0	0.0	10	33.3	<.001**
Often	1	3.3	15	50.0	
Always	2	6.7	2	6.7	
Daily li	ving activit	ies			
Degree of difficulty experienced during the last week					
A1 - Descending					
None	0	0.0	2	6.6	<u></u>
Mild	1	3.3	20	66.7	
Moderate	5	16.7	4	13.3	<.001**
Sever	20	66.7	2	6.7	
Extreme	4	13.3	2	6.7	
A2 Ascending stairs					
None	0	0.0	1	3.3	
Mild	1	3.3	17	56.7	
Moderate	2	6.7	8	26.8	<.001**
Sever	16	53.3	2	6.6	<u></u>
Extreme	11	36.7	2	6.6	
A3 Rising from sitting:					
None	0	0.0	4	13.3	<u></u>
Mild	2	6.6	21	70.0	<u></u>
Moderate	11	36.7	2	6.7	<.001**
Sever	14	46.7	2	6.7	
Extreme	3	10.0	1	3.3	
A4 Standing:					
None	0	0.0	5	16.7	
Mild	1	3.3	20	66.7	
Moderate		50.0	2	6.7	<.001**
	15	30.0			
Sever	15 11	36.7	1	3.3	
Sever Extreme					<u> </u>
	11	36.7	1	3.3	_
Extreme	11	36.7	1	3.3	— <.001**

Moderate	10	33.4	3	10.0	
Sever	14	46.7	2	6.6	
Extreme	4	13.3	2	6.6	<del></del>
A6 Walking on flat surface:					
None	1	3.3	10	33.3	
Mild	7	23.3	15	50.0	<del>_</del>
Moderate	15	50.0	1	3.3	<.001**
Sever	5	16.7	2	6.7	<u> </u>
Extreme	2	6.7	2	6.7	
A7 Getting in/out of car:					
None	0	0.0	8	26.7	
Mild	3	10.0	17	56.7	
Moderate	15	50.0	2	6.7	<.001**
Sever	10	33.3	1	3.3	
Extreme	2	6.7	2	6.6	
A8 Going shopping:					
None	0	0.0	6	20.0	
Mild	1	3.3	15	50.0	
Moderate	11	36.7	6	20.0	<.001**
Sever	13	43.3	1	3.3	<del></del>
Extreme	5	16.7	2	6.7	
A9 Putting on socks/stockings:					
None	2	6.7	7	23.3	
Mild	2	6.7	19	63.3	<del>_</del>
Moderate	11	36.6	0	0.0	<.001**
Sever	13	43.3	2	6.7	
Extreme	2	6.7	2	6.7	
A10 Rising from bed:					
None	1	3.3	10	33.4	
Mild	0	0.0	16	53.3	<del></del>
Moderate	20	66.7	1	3.3	< .001**
Sever	6	20.0	1	3.3	<del></del>
Extreme	3	10.0	2	6.7	<del></del>
A11 Taking off socks/stockings:					
None	1	3.3	8	26.6	
Mild	3	10.0	17	56.7	<del></del>
Moderate	8	26.7	2	6.7	<.001**
Sever	15	50.0	1	3.3	<del></del>
Extreme	3	10.0	2	6.7	<del></del>
A 10 1-1 1 - 1 - 1					
A12-lying in bed:					
	0	0.0	8	26.7	
None Mild	0	0.0	8 15	26.7 50.0	_
None					<.001**
None Mild	0	0.0	15	50.0	<.001**

A13 Getting in/out of bath:					
None	0	0.0	5	16.7	
Mild	1	3.3	18	60.0	
Moderate	11	36.7	4	13.3	<.001**
Sever	13	43.3	1	3.3	
Extreme	5	16.7	2	6.7	
A14 Sitting:					
None	0	0.0	8	26.7	
Mild	1	3.3	15	50.0	
Moderate	17	56.7	4	13.3	<.001**
Sever	7	23.3	2	6.7	
Extreme	5	16.7	1	3.3	
A15 Getting on/ off toilet:					
None	0	0.0	1	3.3	
Mild	2	6.7	22	73.3	
Moderate	4	13.3	3	10.0	<.001**
Sever	19	63.3	2	6.7	
Extreme	5	16.7	2	6.7	
A16 Heavy domestic duties (shoveling, scrubbing	floors, etc.):				
None	0	0.0	1	3.3	
Mild	0	0.0	20	66.6	
Moderate	3	10.0	5	16.7	<.001**
Sever	21	70.0	2	6.7	
Extreme	6	20.0	2	6.7	
A17 Light domestic duties:					
None	0	0.0	5	16.7	
Mild	2	6.7	20	66.6	
Moderate	14	46.6	2	6.7	<.001**
Sever	11	36.7	0	0.0	
Extreme	3	10.0	3	10.0	
Sp	ort and recreation fu	unction			
What difficulty have you experienced the last wee	ek?				
Sp1 Squatting:		0.0	1	2.2	
None	0	0.0	1	3.3	<u> </u>
Mild	0	0.0	14	46.6	- 001**
Moderate	4	13.3	11	36.7	<.001**
Sever	11	36.7	2 2	6.7	<u> </u>
Extreme  Sn2 Punnings	15	50.0		6.7	
Sp2 Running: Mild	0	0.0	10	33.3	
Moderate	1	3.3	16	53.3	<u> </u>
	8			6.7	< .001**
Sever		26.7	2		<u> </u>
Extreme Sp. 2 Insurance	21	70.0	2	6.7	
Sp3 Jumping:	0	0.0	10	22.2	· 00144
Mild	0	0.0	10	33.3	< .001**

Moderate	1	3.3	16	53.3	
Sever	8	26.7	2	6.7	<del>_</del>
Extreme	21	70.0	2	6.7	<del>_</del>
Sp4 Turning or twisting on the injured knee:					
None	0	0.0	2	6.7	
Mild	0	0.0	18	60.0	
Moderate	4	13.3	5	16.6	<.001**
Sever	16	53.3	2	6.7	
Extreme	10	33.4	3	10.0	<del>_</del>
Sp5 Kneeling:					
None	0	0.0	3	10.0	
Mild	1	3.3	19	63.4	
Moderate	5	16.7	4	13.3	<.001**
Sever	15	50.0	1	3.3	
Extreme	9	30.0	3	10.0	
	Knee related QOI	L			
Q1 - Patient awareness of knee problems					
Mild	0	0.0	21	70.0	
Moderate	1	3.3	4	13.3	
Sever	18	60.0	2	6.7	<del></del>
Extreme	11	36.7	3	10.0	
Q2 - Modifying lifestyle to avoid potentially d	lamaging activities to the	knee			
Mild	2	6.7	25	83.3	
Moderate	1	3.3	0	0.0	
Sever	21	70.0	4	13.4	— < .001**
Extreme	6	20.0	1	3.3	
Q3 - Trouble regarding lack of confidence in	the knee				
None	0	0.0	1	3.3	
Mild	0	0.0	23	76.7	<del>_</del>
Moderate	4	13.3	3	10.0	<.001**
Sever	24	80.0	3	10.0	_
Extreme	2	6.7	0	0.0	_
Q4 - Generally, difficulty with the knee					
None	0	0.0	2	6.6	
Mild	0	0.0	16	53.4	
Moderate	5	16.6	9	30.0	<.001**
Sever	17	56.7	3	10.0	
Extreme	8	26.7	0	0.0	<del></del>

Note. Chi-square test \* statistically significant difference (p < .05) \*\* highly statistically significant difference (p < 0.01)